

## Contents

- 1  
Purpose
- 2  
Arguments
- 3  
Examples
- 4 See  
Also

## Purpose

Template for creating two smaller lines of text on one actual line.

It was named after the **<sup>** and **<sub>** HTML tags, which share the first two letters of their name with this template. This template uses the third letter of the name of these tags, **p** and **b**, as the name of the argument that drives the output of the top and bottom line, respectively.

## Arguments

- p** The contents of the top line.
- b** The contents of the bottom line.
- a** The alignment of both lines (**r** for right, **c** for center aligned, default is left aligned)
- w** The size of the characters (**f** for fixed width (monospace), default is whatever the current font is)

## Examples

**Simple example:** `X{ {su|p=a} }X{ {su|b=b} }X{ {su|p=a|b=b} }X`

`XaXbXabX`

**Left aligned (default):** `X{ {su|p=aaaaa|b=b} }X{ {su|p=a|b=bbbbb} }X`

`XaaaaabXabbbbbX`

**Right aligned:** `X{ {su|a=r|p=aaaaa|b=b} }X{ {su|a=r|p=a|b=bbbbb} }X`

`XaaaaabXabbbbbX`

**Center aligned:** `X{ {su|a=c|p=aaaaa|b=b} }X{ {su|a=c|p=a|b=bbbbb} }X`

`XaaaaabXabbbbbX`

**Smaller font:** `<small>X{ {su|p=a} }X{ {su|b=b} }X{ {su|p=a|b=b} }X</small>`

`XaXbXabX`

**Larger font:** <big>X{ {su|p=a} }X{ {su|b=b} }X{ {su|p=a|b=b} }X</big>

$X^aX_bXabX$

**Fixed width:** X{ {su|p=111|b=www} }X{ {su|w=f|p=111|b=www} }X

X...wwwX...wwwX

## See Also

- {{sup}} - superscript text
- {{sub}} - subscript text