

[[edit](#)] [[purge](#)] Template documentation
 This documentation transcluded from Template:Su/doc([edit](#) | [history](#)).

Contents

- 1 Purpose
- 2 Arguments
- 3 Examples
- 4 See Also

Purpose

Template for creating two smaller lines of text on one actual line.

It was named after the `<sup>` and `<sub>` HTML tags, which share the first two letters of their name with this template. This template uses the third letter of the name of these tags, **p** and **b**, as the name of the argument that drives the output of the top and bottom line, respectively.

Arguments

- p** The contents of the top line.
- b** The contents of the bottom line.
- a** The alignment of both lines (**r** for right, **c** for center aligned, default is left aligned)
- w** The size of the characters (**f** for fixed width (monospace), default is whatever the current font is)

Examples

Simple example: $X\{\{su \mid p=a\}\}X\{\{su \mid b=b\}\}X\{\{su \mid p=a \mid b=b\}\}X$

$$X^a X_b X^{ab} X$$

Left aligned (default): X { { su | p=aaaaa | b=b } } X { { su | p=a | b=bbbbbb } } X

XaaaaabXabbbbbbX

Right aligned: X { { su | a=r | p=aaaaa | b=b } } X { { su | a=r | p=a | b=bbbbbb } } X

XaaaaabXabbbbbX

Center aligned: X{ { su | a=c | p=aaaaa | b=b } }X{ { su | a=c | p=a | b=bbbbbb } }X

XaaaaabXabbbbbX

Template:Su

Smaller font: `<small>X{{su|p=a}}X{{su|b=b}}X{{su|p=a|b=b}}X</small>`

$X^aX_bX_{ab}X$

Larger font: `<big>X{{su|p=a}}X{{su|b=b}}X{{su|p=a|b=b}}X</big>`

$X^aX_bX_{ab}X$

Fixed width: `X{{su|p=111|b=www}}X{{su|w=f|p=111|b=www}}X`

$X...wwwX...wwwX$

See Also

- `{{sup}}` - superscript text
- `{{sub}}` - subscript text